



DongGuan Merrock Industry Co., Ltd

Add: Xiya Industrial park, Jiaolian community, Wanjiang District, Dongguan City, China

Contact: Grace Mobile/Whatsapp/Wechat/Viber: +8613922943586
<http://merrock.wix.com/floorgrinder>



E-mail: merrock_grace@gmail.com Skype: jill-cp@hotmail.com




Model: MRK-V6
Voltage: 220V-240V/380V-440V
Power: 5.5HP/4KW
Inverter: 5.5HP/4KW
Speed: 0-1500 rpm
Work Area: 310×550mm
Grinding discs: 6 pcs
Water tank: 30L
NW: 170+20kgs (Add weight)
GW: 210KGS
Packing size: 76*65*134cm



With dust collection interface

Accessories:

1pc cable, 1pc add weight, 2pcs lift pole, 1pc dust skirt



Add weight

Lift pole

Dust Skirt

Option plug:



A

B

C



DongGuan Merrock Industry Co., Ltd

Add: Xiya Industrial park, Jiaolian community, Wanjiang District, Dongguan City, China

Contact: Grace Mobile/Whatsapp/Wechat/Viber: +8613922943586
<http://merrock.wix.com/floorgrinder>

E-mail: merrock.grace@gmail.com Skype: jill-cp@hotmail.com

Packing: Carton with iron frame (76*65*130cm)



Vulnerable parts:

| No. | Picture | English name | Remark | No. | Picture | English name | Remark |
|-----|---------|--------------------|----------------------|-----|---------|-----------------------|---------------------|
| 1 | | Belt | 3pcs for one machine | 9 | | Plug for cable | 1pc for one machine |
| 2 | | Dust skirt | 1pc for one machine | 10 | | Socket on machine | 1pc for one machine |
| 3 | | Anticollision ring | 1pc for one machine | 11 | | White plastic | 2pc for one machine |
| 4 | | Grinding disc | 6pcs for one machine | 12 | | Drain switch | 1pc for one machine |
| 5 | | Velcro | One roll | 13 | | Speed knob | 1pc for one machine |
| 6 | | Torsion rubber | 2pcs for one machine | 14 | | Emergency stop switch | 1pc for one machine |
| 7 | | Wheels | 2pcs for one machine | 15 | | Oil sealer (Middle) | 1pc for one machine |
| 8 | | Three-jaw chuck | 2pcs for one machine | 16 | | Oil sealer (Small) | 2pc for one machine |



DongGuan Merrock Industry Co., Ltd

Add: Xiya Industrial park, Jiaolian community, Wanjiang District, Dongguan City, China

Contact: Grace Mobile/Whatsapp/Wechat/Viber: +8613922943586
<http://merrock.wix.com/floorgrinder>

E-mail: merrock_grace@gmail.com Skype: jill-cp@hotmail.com



Model: MRK-V12-550
Voltage: 380V-460V
Power: 10HP/7.5KW
Inverter: 15hp/11KW
Speed: 0-1500 rpm
Work Area: 550×550mm
Grinding discs: 12pcs
Water tank: 30L
NW: 270KG
GW: 320KGS
Packing size: 76*65*130cm



Model: MRK-V12-510
Voltage: 380V-460V
Power: 7.5HP/5.5KW
Inverter: 10hp/7.5KW
Speed: 0-1500 rpm
Work Area: 510×510mm²
Grinding discs: 12pcs
NW: 245KG
GW: 295KGS
Packing size: 76*65*130cm




Dust collection interface

With dust collection interface

Accessories:
1pc cable, 4pcs lift pole,
1pc dust skirt

Packing: Carton with iron frame
(100*60*123cm)



Lift pole

Dust Skirt



Code: MRK-V12-550B
Grinding discs
Origin: Made in China
Brand: Merrock

N.W.
G.W.



DongGuan Merrock Industry Co., Ltd

Add: Xiya Industrial park, Jiaolian community, Wanjiang District, Dongguan City, China

Contact: Grace Mobile/Whatsapp/Wechat/Viber: +8613922943586
<http://merrock.wix.com/floorgrinder>

E-mail: merrock_grace@gmail.com Skype: jill-cp@hotmail.com

Vulnerable parts:

| No. | Picture | Name | Remark | No. | Picture | Name | Remark |
|-----|---|-------------------|-----------------------|-----|---|-----------------------|---------------------|
| 1 |  | Dustband | 1pc for one machine | 9 |  | Water switch | 1pc for one machine |
| 2 |  | Grinding disc | 12pcs for one machine | 10 |  | Speed knob | 1pc for one machine |
| 3 |  | Velcro | One roll | 11 |  | Emergency stop switch | 1pc for one machine |
| 4 |  | Torsion rubber | 4pcs for one machine | 12 |  | Inverter 7.5KW (11KW) | 1pc for one machine |
| 5 |  | Wheels | 2pcs for one machine | 13 |  | Oil sealer (Middle) | 1pc for one machine |
| 6 |  | Three-jaw chuck | 4pcs for one machine | 14 |  | Oil sealer (Small) | 4pc for one machine |
| 7 |  | Plug for cable | 1pc for one machine | 15 |  | Aluminum plate (disc) | 4pc for one machine |
| 8 |  | Socket on machine | 1pc for one machine | | | | |



DongGuan Merrock Industry Co., Ltd

Add: Xiya Industrial park, Jiaolian community, Wanjiang District, Dongguan City, China

Contact: Grace Mobile/Whatsapp/Wechat/Viber: +8613922943586
<http://merrock.wix.com/floorgrinder>

E-mail: merrock_grace@gmail.com Skype: jill-cp@hotmail.com




Model: V12-710
Voltage: 380V-460V
Power: 15HP/11KW
Inverter: 15hp/11KW
Speed: 0-1500 rpm
Work Area: 710×710mm
Grinding discs: 12pcs
Water tank: 30L
NW: 375KG
GW: 425KGS
Packing size: 120*80*123cm

With dust collection interface

Accessories:
1pc cable, 4pcs lift pole,
1pc dust skirt

Packing: Carton with iron frame
(120*80*123cm)



Lift pole

Dust Skirt





DongGuan Merrock Industry Co., Ltd

Add: Xiya Industrial park, Jiaolian community, Wanjiang District, Dongguan City, China

Contact: Grace Mobile/Whatsapp/Wechat/Viber: +8613922943586
<http://merrock.wix.com/floorgrinder>

E-mail: merrock.grace@gmail.com Skype: jill-cp@hotmail.com

Pads for the machine:

| | | |
|---|--|---|
| <p>R-0</p> <p>Grit: 50#, 100#, 150#, 200#, 300#, 400#, 500#, 800#, 1000#, 1500#, 2000#, 3000# Net thickness: 3mm Diameter: 100mm/4 Inch</p> | <p>R-0-G</p> <p>Grit: 50#, 100#, 150#, 200#, 300#, 400#, 500#, 800#, 1000#, 1500#, 2000#, 3000# Net thickness: 3mm Diameter: 100mm/4 Inch</p> | <p>R-1</p> <p>Grit: 50#, 100#, 150#, 200#, 300#, 400#, 500#, 800#, 1000#, 1500#, 2000#, 3000# Net thickness: 4.5mm Diameter: 100mm/4 Inch</p> |
| <p>R-3</p> <p>Grit: 50#, 100#, 150#, 200#, 300#, 400#, 500#, 800#, 1000#, 1500#, 2000#, 3000# Net thickness: 2.5mm Diameter: 100mm/4 Inch</p> | <p>R-4A</p> <p>Grit: 50#, 100#, 150#, 200#, 300#, 400#, 500#, 800#, 1000#, 1500#, 2000#, 3000# Net thickness: 2.5mm Diameter: 100mm/4 Inch</p> | <p>G-1</p> <p>Grit: 50#, 100#, 150#, 200#, 300#, 400#, 500#, 800#, 1000#, 1500#, 2000#, 3000# Net thickness: 2.5mm Diameter: 100mm/4 Inch</p> |

| | | |
|--|---|---|
| <p>F-21</p> <p>Grit: 50#, 100#, 150#, 200#, 300#, 400#, 500#, 800#, 1000#, 1500#, 2000#, 3000# Net thickness: 10mm Diameter: 80mm/3 Inch</p> | <p>F-22</p> <p>Grit: 50#, 100#, 150#, 200#, 300#, 400#, 500#, 800#, 1000#, 1500#, 2000#, 3000# Net thickness: 10mm Diameter: 80mm/3 Inch</p> | <p>F-23</p> <p>Grit: 50#, 100#, 150#, 200#, 300#, 400#, 500#, 800#, 1000#, 1500#, 2000#, 3000# Net thickness: 10mm Diameter: 80mm/3 Inch</p> |
| <p>F-26</p> <p>Grit: 50#, 100#, 150#, 200#, 300#, 400#, 500#, 800#, 1000#, 1500#, 2000#, 3000# Net thickness: 9mm Diameter: 100mm/4 Inch</p> | <p>F-26B</p> <p>Grit: 50#, 100#, 150#, 200#, 300#, 400#, 500#, 800#, 1000#, 1500#, 2000#, 3000# Net thickness: 5.8mm Diameter: 100mm/4 Inch</p> | <p>F-27</p> <p>Grit: 50#, 100#, 150#, 200#, 300#, 400#, 500#, 800#, 1000#, 1500#, 2000#, 3000# Net thickness: 10mm Diameter: 100mm/4 Inch</p> |



DongGuan Merrock Industry Co., Ltd

Add: Xiya Industrial park, Jiaolian community, Wanjiang District, Dongguan City, China

Contact: Grace Mobile/Whatsapp/Wechat/Viber: +8613922943586
<http://merrock.wix.com/floorgrinder>

E-mail: merrock_grace@gmail.com Skype: jill-cp@hotmail.com

Blades for the machine:

